

# DEVOLD® SAFE BRA

## FLAME RETARDANT WOOL / LENZING BLEND

DEVOLD® SAFE bra - is developed for women in occupations that handle electricity, gas, heat and flame. Safe is knitted from Lenzing FR® and merino wool, with polyamide reinforcement. In addition, Nega-Stat® is implicated. Nega-Stat® is a special yarn which gives the garment optimal antistatic protection. Safe is the lightest flame retardant underwear in the Devold® Protection collection. Since it's knitted in a rib structure, the underwear is very elastic and follows your body movement. Safe has a high percentage of merino wool, and therefore keeps your body dry and comfortable even during high activity.



SAFE bra - GP 116 200 A 950A

MATERIAL 49 % Lenzing FR® / 39 % Merino wool  
10 % Polyamide / 1 % Elastane / 1 % Nega-stat®

STRUCTURE Rib

WEIGHT 230 g/m² +/- 10%



TEST	RESULT	REQUIREMENT
① Limited flame spread: EN 15025-A1-A2	Pass	Pass
② Convective heat: EN 9151	B1	B1
③ Radiant heat: EN 6942	C1	C1

ARC RESISTANCE TEST: EN 61482-1-2  
ELECTROSTATIC TEST: EN 1149-5

### TEST FOR FLAME RETARDANT PROPERTIES

EN 11612: Standard describing requirements for protective clothing for workers exposed to heat and flame. Test descriptions and certificates at [www.devold.com](http://www.devold.com).