

DEVOLD® THERMAL

FLAME RETARDANT WOOL

DEVOLD® THERMAL – made from 100 % pure new wool, provides good protection against cold, radiant heat and flames. With Devold® Thermal, you keep warm even at rest, since wool can absorb significant amounts of moisture without feeling wet. Devold® Thermal is user-friendly with side panels, and thumb loops to maximize protection and isolation. Wool does not melt, and Devold® Thermal is Zirpro treated to give extra flame retardant properties.

EN 61482-1-2

ELECTRIC ARC

EN 11612

FLAME RETARDANT

STRUCTURE

SINGLE JERSEY

WEIGHT

470 g/m²

THERMAL long johns - GP 177 100 A 950A

MATERIAL 100 % Pure new wool
 STRUCTURE Single jersey
 WEIGHT 470 g/m² +/-10%
 SPECIAL TREATMENT ZIRPRO / Preshrunk



TEST	RESULT	REQUIREMENT
① Limited flame spread: EN 15025-A1/A2	Pass	Pass
② Convective heat: EN 9151	B2	B1
③ Radiant heat: EN 6941	C2	C1

ARC RESISTANCE TEST: EN 61482-1-2

TEST FOR FLAME RETARDANT PROPERTIES

EN 11612: Standard describing requirements for protective clothing for workers exposed to heat and flame. Test descriptions and certificates at www.devold.com.